

Assembly Guide

London Shelving system – Interior top plate



Assembly Guide

Assembly guide for London Shelving system

Table of contents

Basic and pre-assembly	Page 3
Assembly of top plates	Page 4
Assembly of end panels	Page 5

Care instructions for BCI shelving

Use a moist cloth to clean the shelves, uprights and panels. Note, do NOT use any chemicals what so ever. Use of harsh chemicals might destroy the protective lacquer.

Recycling information

Should be disposed of as recyclable metal and wood.

Assembly Guide

Assembly guide for London Shelving System

Basic assembly

Starter units consist of a 60/30 shelving system á two uprights and two crossbars (with 84"/212 cm og 90"/229,5 cm high sections may require a third crossbar in each section, depending on the intended load; while heights above that should have three crossbars in any case). For more info see "Assembly Guide for 60/30 Steel Shelving System".

For heights 84"/212 cm and 90"/229,5 cm, shelf depth and intended use of the shelving may require either floor-mounting brackets (for double-faced shelving) or wall-mounting brackets (for single-faced shelving). For double-faced shelving higher than 90"/229,5 cm (with 10"/25 cm deep shelves or less) it is strongly recommended that "L" shaped floor mounting brackets be used; four for each interior upright and two for each upright at the ends of the ranges. The "L" bracket should be secured into the foot of the upright, and also into the floor using fasteners appropriate to the floor type, taking the shelving into consideration.

Install shelves and components into the section as required.

In cases where floor-mounting is not used, the shelving system may require further minor leveling after it is loaded. This can be achieved by using an open-end wrench on the leveler nut.

Pre-Assembly

Remove all the end caps in the upright tops.

Be sure that the depth of the shelf corresponds to the depth of the upright.

Assembly Guide


Assembly guide for London Shelving System

Assembly of top plate

Based on a double-sided 60/30 Shelving System with one bay, firstly mount the top plate as it is placed between the end panels.

The 4 enclosed brackets, for the top plate, are hooked into the uprights so there are 2 brackets on each upright mounted in the upper slots to gain same height.

The top plate is placed on the brackets and is secured with screws. Once the top plate is mounted, dowels are inserted on the mounting of the end panels.



Assembly Guide


Assembly guide for London Shelving System

Assembly of end panels

When installing end panels 4 end panel brackets are hooked on each upright so they are placed two and two opposite each other in same height.

The end panels are mounted one at a time.

The end panel is placed so the upright fits into the cutting in the end panel and the dowels in the top, thereby the end panel is controlled by the dowels and the right position is secured. The end panels are mounted on to the brackets with the enclosed screws.





WE ARE LIBRARY PEOPLE®



DENMARK

Lammhults Biblioteksdesign A/S
Dalbækvej 1
6670 Holsted

bci@bci.dk
www.lammhultsbiblioteksdesign.dk

SWEDEN

Lammhults Biblioteksdesign AB
Åkergränden 7
221 00 Lund

eurobib@eurobib.se
www.lammhultsbiblioteksdesign.se

NORWAY

BS Eurobib AS
Postboks 6348
Malerhaugveien 20
0604 Oslo

post@bseurobib.no
www.bseurobib.no

GERMANY

Schulz Speyer Bibliothekstechnik AG
Friedrich-Ebert-Straße 2a
67346 Speyer

sales@schulzspeyer.de
www.schulzspeyer.de

FRANCE

BC Interieur S.A.R.L.
8, Allée Lorentz
77 420 Champs sur Marne

bci@bcinterieur.com
www.bcinterieur.fr

UNITED KINGDOM

thedesignconcept Ltd.
Unit 12, Evans Business Centre
Belgrave Street
Bellshill ML4 3NP

info@thedesignconcept.co.uk
www.thedesignconcept.con.uk

BELGIUM/HOLLAND

SBNL – Schulz Benelux BVBA
Appelweg 94 C
3221 Holsbeek

info@sbnl.be
www.sbnl.be

Find our dealers on www.wearelibrarypeople.com

SCHULZ
SPEYER